

## Technical Data Sheet

### COLONIAL 3 Column Cast Iron Radiator - Standard Sizes

Product Code	No.of Sections	Radiator Height (mm)	Radiator Length (mm)	Radiator Depth (mm)	Watts	BTU
					$\Delta T 50^{\circ}C$	$\Delta T 50^{\circ}C$
VL450/3/04	4	450	275	120	321	1095
VL450/3/05	5	450	335	120	402	1372
VL450/3/06	6	450	395	120	482	1644
VL450/3/07	7	450	455	120	562	1917
VL450/3/08	8	450	516	120	642	2190
VL450/3/09	9	450	576	120	723	2467
VL450/3/10	10	450	636	120	803	2740
VL450/3/11	11	450	696	120	883	3014
VL450/3/12	12	450	756	120	964	3288
VL450/3/13	13	450	817	120	1044	3561
VL450/3/14	14	450	877	120	1124	3835
VL450/3/15	15	450	937	120	1204	4109
VL450/3/16	16	450	997	120	1285	4383
VL450/3/17	17	450	1057	120	1365	4657
VL450/3/18	18	450	1118	120	1445	4931
VL450/3/19	19	450	1178	120	1526	5205
VL450/3/20	20	450	1238	120	1606	5479
VL450/3/21	21	450	1298	120	1686	5753
VL450/3/22	22	450	1358	120	1766	6027
VL450/3/23	23	450	1298	120	1847	6301
VL450/3/24	24	450	1358	120	1927	6575
VL450/3/25	25	450	1419	120	2007	6848
VL450/3/26	26	450	1479	120	2088	7122
VL450/3/27	27	450	1539	120	2168	7396
VL450/3/28	28	450	1599	120	2248	7670
VL450/3/29	29	450	1659	120	2328	7944
VL450/3/30	30	450	1850	120	2409	8218
VL450/3/31	31	450	1900	120	2489	8492
VL450/3/32	32	450	1960	120	2569	8766
VL450/3/33	33	450	2021	120	2650	9040
VL450/3/34	34	450	2081	120	2730	9314
VL450/3/35	35	450	2141	120	2810	9588
VL450/3/36	36	450	2201	120	2890	9862
VL450/3/37	37	450	2261	120	2971	10135
VL450/3/38	38	450	2322	120	3051	10409
VL450/3/39	39	450	2382	120	3131	10683
VL450/3/40	40	450	2442	120	3212	10957

COLONIAL 3 Column Cast Iron Radiator - Standard Sizes

Product Code	No.of Sections	Radiator Height (mm)	Radiator Length (mm)	Radiator Depth (mm)	Watts $\Delta T$ 50°C	BTU $\Delta T$ 50°C
VL645/3/04	4	645	276	120	428	1460
VL645/3/05	5	645	336	120	535	1825
VL645/3/06	6	645	396	120	642	2190
VL645/3/07	7	645	457	120	749	2555
VL645/3/08	8	645	517	120	856	2921
VL645/3/09	9	645	578	120	963	3286
VL645/3/10	10	645	638	120	1070	3651
VL645/3/11	11	645	698	120	1177	4016
VL645/3/12	12	645	759	120	1284	4381
VL645/3/13	13	645	819	120	1391	4746
VL645/3/14	14	645	880	120	1498	5111
VL645/3/15	15	645	940	120	1605	5476
VL645/3/16	16	645	1000	120	1712	5841
VL645/3/17	17	645	1061	120	1819	6206
VL645/3/18	18	645	1121	120	1926	6571
VL645/3/19	19	645	1182	120	2033	6936
VL645/3/20	20	645	1242	120	2140	7301
VL645/3/21	21	645	1302	120	2247	7666
VL645/3/22	22	645	1363	120	2354	8031
VL645/3/23	23	645	1423	120	2461	8396
VL645/3/24	24	645	1484	120	2568	8762
VL645/3/25	25	645	1544	120	2675	9127
VL645/3/26	26	645	1604	120	2782	9492
VL645/3/27	27	645	1665	120	2889	9857
VL645/3/28	28	645	1725	120	2996	10222
VL645/3/29	29	645	1786	120	3103	10587
VL645/3/30	30	645	1846	120	3210	10952
VL645/3/31	31	645	1906	120	3317	11317
VL645/3/32	32	645	1967	120	3424	11682
VL645/3/33	33	645	2027	120	3531	12047
VL645/3/34	34	645	2088	120	3638	12412
VL645/3/35	35	645	2148	120	3745	12777
VL645/3/36	36	645	2208	120	3852	13142
VL645/3/37	37	645	2269	120	3959	13507
VL645/3/38	38	645	2329	120	4066	13872
VL645/3/39	39	645	2390	120	4173	14237
VL645/3/40	40	645	2450	120	4280	14603

COLONIAL 3 Column Cast Iron Radiator - Standard Sizes

Product Code	No.of Sections	Radiator Height (mm)	Radiator Length (mm)	Radiator Depth (mm)	Watts	BTU
					$\Delta T 50^{\circ}C$	$\Delta T 50^{\circ}C$
VL745/3/04	4	745	280	120	481	1641
VL745/3/05	5	745	341	120	601	2050
VL745/3/06	6	745	402	120	721	2460
VL745/3/07	7	745	464	120	841	2869
VL745/3/08	8	745	525	120	961	3279
VL745/3/09	9	745	587	120	1081	3688
VL745/3/10	10	745	648	120	1201	4098
VL745/3/11	11	745	709	120	1321	4507
VL745/3/12	12	745	771	120	1441	4916
VL745/3/13	13	745	832	120	1561	5326
VL745/3/14	14	745	894	120	1681	5735
VL745/3/15	15	745	955	120	1801	6145
VL745/3/16	16	745	1016	120	1921	6554
VL745/3/17	17	745	1078	120	2041	6963
VL745/3/18	18	745	1139	120	2161	7373
VL745/3/19	19	745	1201	120	2281	7782
VL745/3/20	20	745	1262	120	2401	8192
VL745/3/21	21	745	1323	120	2521	8601
VL745/3/22	22	745	1385	120	2641	9011
VL745/3/23	23	745	1446	120	2761	9420
VL745/3/24	24	745	1508	120	2881	9829
VL745/3/25	25	745	1569	120	3001	10239
VL745/3/26	26	745	1630	120	3121	10648
VL745/3/27	27	745	1692	120	3241	11058
VL745/3/28	28	745	1753	120	3361	11467
VL745/3/29	29	745	1815	120	3481	11876
VL745/3/30	30	745	1876	120	3601	12286
VL745/3/31	31	745	1937	120	3721	12695
VL745/3/32	32	745	1999	120	3841	13105
VL745/3/33	33	745	2060	120	3961	13514
VL745/3/34	34	745	2122	120	4081	13924
VL745/3/35	35	745	2183	120	4201	14333
VL745/3/36	36	745	2244	120	4321	14742
VL745/3/37	37	745	2306	120	4441	15152
VL745/3/38	38	745	2367	120	4561	15561
VL745/3/39	39	745	2429	120	4681	15971
VL745/3/40	40	745	2490	120	4801	16380

- All Radiators are supplied in a primer finish or you can choose from a wide range of creative colours and paint effects.
- Colour matching service is available.
- A hand polished finish is also available
- Tapping connections can be 1/2" or 3/4" BSP
- The Colonial 3 can also be all electric
- The Colonial 3 has a 10 year manufacturers guarantee
- We can also supply a stunning range of thermostatic and manual valves