

Technical Data Sheet

LAMBETH 2 Column Cast Iron Radiator - Standard Sizes

Product Code	No.of Sections	Radiator Height (mm)	Radiator Length (mm)	Radiator Depth (mm)	Watts	BTU
					$\Delta T 50^{\circ}C$	$\Delta T 50^{\circ}C$
LM590/2/04	4	590	320	175	401	1368
LM590/2/05	5	590	329	175	501	1709
LM590/2/06	6	590	464	175	601	2050
LM590/2/07	7	590	535	175	702	2395
LM590/2/08	8	590	607	175	802	2736
LM590/2/09	9	590	678	175	902	3077
LM590/2/10	10	590	750	175	1002	3419
LM590/2/11	11	590	822	175	1103	3763
LM590/2/12	12	590	893	175	1203	4104
LM590/2/13	13	590	965	175	1303	4446
LM590/2/14	14	590	1306	175	1403	4787
LM590/2/15	15	590	1108	175	1504	5131
LM590/2/16	16	590	1180	175	1604	5473
LM590/2/17	17	590	1251	175	1704	5814
LM590/2/18	18	590	1323	175	1804	6155
LM590/2/19	19	590	1394	175	1904	6496
LM590/2/20	20	590	1466	175	2005	6841
LM590/2/21	21	590	1538	175	2105	7182
LM590/2/22	22	590	1609	175	2205	7523
LM590/2/23	23	590	1681	175	2305	7864
LM590/2/24	24	590	1752	175	2406	8209
LM590/2/25	25	590	1824	175	2506	8550
LM590/2/26	26	590	1896	175	2606	8891
LM590/2/27	27	590	1967	175	2706	9232
LM590/2/28	28	590	2039	175	2807	9577
LM590/2/29	29	590	2110	175	2907	9918
LM590/2/30	30	590	2182	175	3007	10259
LM590/2/31	31	590	2254	175	3107	10600
LM590/2/32	32	590	2325	175	3208	10945
LM590/2/33	33	590	2397	175	3308	11286
LM590/2/34	34	590	2468	175	3408	11627
LM590/2/35	35	590	2540	175	3508	11969
LM590/2/36	36	590	2612	175	3608	12310
LM590/2/37	37	590	2683	175	3709	12654
LM590/2/38	38	590	2755	175	3809	12996
LM590/2/39	39	590	2826	175	3909	13337
LM590/2/40	40	590	2898	175	4009	13678

LAMBETH 2 Column Cast Iron Radiator - Standard Sizes

Product Code	No.of Sections	Radiator Height (mm)	Radiator Length (mm)	Radiator Depth (mm)	Watts	BTU
					$\Delta T 50^{\circ}C$	$\Delta T 50^{\circ}C$
LM790/2/04	4	790	318	147	668	2279
LM790/2/05	5	790	389	147	835	2849
LM790/2/06	6	790	460	147	1002	3419
LM790/2/07	7	790	531	147	1169	3988
LM790/2/08	8	790	602	147	1336	4558
LM790/2/09	9	790	673	147	1503	5128
LM790/2/10	10	790	744	147	1670	5698
LM790/2/11	11	790	815	147	1837	6267
LM790/2/12	12	790	886	147	2004	6837
LM790/2/13	13	790	957	147	2171	7407
LM790/2/14	14	790	1028	147	2338	7977
LM790/2/15	15	790	1099	147	2505	8547
LM790/2/16	16	790	1170	147	2672	9116
LM790/2/17	17	790	1241	147	2839	9686
LM790/2/18	18	790	1312	147	3006	10256
LM790/2/19	19	790	1383	147	3173	10826
LM790/2/20	20	790	1454	147	3340	11395
LM790/2/21	21	790	1525	147	3507	11965
LM790/2/22	22	790	1596	147	3674	12535
LM790/2/23	23	790	1667	147	3841	13105
LM790/2/24	24	790	1738	147	4008	13675
LM790/2/25	25	790	1809	147	4175	14244
LM790/2/26	26	790	1880	147	4342	14814
LM790/2/27	27	790	1951	147	4509	15384
LM790/2/28	28	790	2022	147	4676	15954
LM790/2/29	29	790	2093	147	4843	16523
LM790/2/30	30	790	2164	147	5010	17093
LM790/2/31	31	790	2235	147	5177	17663
LM790/2/32	32	790	2306	147	5344	18233
LM790/2/33	33	790	2377	147	5511	18802
LM790/2/34	34	790	2448	147	5678	19372
LM790/2/35	35	790	2519	147	5845	19942
LM790/2/36	36	790	2590	147	6012	20512
LM790/2/37	37	790	2661	147	6179	21082
LM790/2/38	38	790	2732	147	6346	21651
LM790/2/39	39	790	2803	147	6513	22221
LM790/2/40	40	790	2874	147	6680	22791

LAMBETH 2 Column Cast Iron Radiator - Standard Sizes

Product Code	No.of Sections	Radiator Height (mm)	Radiator Length (mm)	Radiator Depth (mm)	Watts	BTU
					$\Delta T 50^{\circ}C$	$\Delta T 50^{\circ}C$
LM975/2/04	4	975	306	147	528	1801
LM975/2/05	5	975	374	147	660	2252
LM975/2/06	6	975	442	147	792	2702
LM975/2/07	7	975	510	147	924	3153
LM975/2/08	8	975	578	147	1056	3603
LM975/2/09	9	975	646	147	1188	4053
LM975/2/10	10	975	714	147	1320	4504
LM975/2/11	11	975	782	147	1452	4954
LM975/2/12	12	975	850	147	1584	5404
LM975/2/13	13	975	918	147	1716	5855
LM975/2/14	14	975	986	147	1848	6305
LM975/2/15	15	975	1054	147	1980	6755
LM975/2/16	16	975	1122	147	2112	7206
LM975/2/17	17	975	1190	147	2244	7656
LM975/2/18	18	975	1258	147	2376	8106
LM975/2/19	19	975	1326	147	2508	8557
LM975/2/20	20	975	1394	147	2640	9007
LM975/2/21	21	975	1462	147	2772	9458
LM975/2/22	22	975	1530	147	2904	9908
LM975/2/23	23	975	1598	147	3036	10358
LM975/2/24	24	975	1666	147	3168	10809
LM975/2/25	25	975	1734	147	3300	11259
LM975/2/26	26	975	1802	147	3432	11709
LM975/2/27	27	975	1870	147	3564	12160
LM975/2/28	28	975	1938	147	3696	12610
LM975/2/29	29	975	2006	147	3828	13060
LM975/2/30	30	975	2074	147	3960	13511
LM975/2/31	31	975	2142	147	4092	13961
LM975/2/32	32	975	2210	147	4224	14411
LM975/2/33	33	975	2278	147	4356	14862
LM975/2/34	34	975	2346	147	4488	15312
LM975/2/35	35	975	2414	147	4620	15763
LM975/2/36	36	975	2482	147	4752	16213
LM975/2/37	37	975	2550	147	4884	16663
LM975/2/38	38	975	2618	147	5016	17114
LM975/2/39	39	975	2686	147	5148	17564
LM975/2/40	40	975	2754	147	5280	18014

- All Radiators are supplied in a primer finish or you can choose from a wide range of creative colours and paint effects.
- Colour matching service is available.
- A hand polished finish is also available
- Tapping connections can be 1/2" or 3/4" BSP
- The Lambeth has a 10 year manufactures guarantee
- We can also supply a stunning range of thermostatic and manual valves