

Technical Data Sheet

VICEROY 2 Column Cast Iron Radiator - Standard Sizes

| Product Code | No.of Sections | Radiator Height (mm) | Radiator Length (mm) | Radiator Depth (mm) | Watts | BTU |
|--------------|----------------|----------------------|----------------------|---------------------|------------------------|------------------------|
| | | | | | $\Delta T 50^{\circ}C$ | $\Delta T 50^{\circ}C$ |
| VR490/2/04 | 4 | 490 | 269 | 90 | 164 | 560 |
| VR490/2/05 | 5 | 490 | 330 | 90 | 205 | 699 |
| VR490/2/06 | 6 | 490 | 391 | 90 | 246 | 839 |
| VR490/2/07 | 7 | 490 | 452 | 90 | 287 | 979 |
| VR490/2/08 | 8 | 490 | 512 | 90 | 328 | 1119 |
| VR490/2/09 | 9 | 490 | 573 | 90 | 369 | 1259 |
| VR490/2/10 | 10 | 490 | 634 | 90 | 410 | 1399 |
| VR490/2/11 | 11 | 490 | 695 | 90 | 451 | 1539 |
| VR490/2/12 | 12 | 490 | 756 | 90 | 492 | 1679 |
| VR490/2/13 | 13 | 490 | 816 | 90 | 533 | 1818 |
| VR490/2/14 | 14 | 490 | 877 | 90 | 574 | 1958 |
| VR490/2/15 | 15 | 490 | 938 | 90 | 615 | 2098 |
| VR490/2/16 | 16 | 490 | 999 | 90 | 656 | 2238 |
| VR490/2/17 | 17 | 490 | 1060 | 90 | 697 | 2378 |
| VR490/2/18 | 18 | 490 | 1120 | 90 | 738 | 2518 |
| VR490/2/19 | 19 | 490 | 1181 | 90 | 779 | 2658 |
| VR490/2/20 | 20 | 490 | 1242 | 90 | 820 | 2798 |
| VR490/2/21 | 21 | 490 | 1303 | 90 | 861 | 2938 |
| VR490/2/22 | 22 | 490 | 1364 | 90 | 902 | 3077 |
| VR490/2/23 | 23 | 490 | 1424 | 90 | 943 | 3217 |
| VR490/2/24 | 24 | 490 | 1485 | 90 | 984 | 3357 |
| VR490/2/25 | 25 | 490 | 1546 | 90 | 1025 | 3497 |
| VR490/2/26 | 26 | 490 | 1607 | 90 | 1066 | 3637 |
| VR490/2/27 | 27 | 490 | 1668 | 90 | 1107 | 3777 |
| VR490/2/28 | 28 | 490 | 1728 | 90 | 1148 | 3917 |
| VR490/2/29 | 29 | 490 | 1789 | 90 | 1189 | 4057 |
| VR490/2/30 | 30 | 490 | 1850 | 90 | 1230 | 4197 |
| VR490/2/31 | 31 | 490 | 1911 | 90 | 1271 | 4336 |
| VR490/2/32 | 32 | 490 | 1972 | 90 | 1312 | 4476 |
| VR490/2/33 | 33 | 490 | 2032 | 90 | 1353 | 4616 |
| VR490/2/34 | 34 | 490 | 2093 | 90 | 1394 | 4756 |
| VR490/2/35 | 35 | 490 | 2154 | 90 | 1435 | 4896 |
| VR490/2/36 | 36 | 490 | 2215 | 90 | 1476 | 5036 |
| VR490/2/37 | 37 | 490 | 2276 | 90 | 1517 | 5176 |
| VR490/2/38 | 38 | 490 | 2336 | 90 | 1558 | 5316 |
| VR490/2/39 | 39 | 490 | 2397 | 90 | 1599 | 5455 |
| VR490/2/40 | 40 | 490 | 2458 | 90 | 1640 | 5595 |

VICEROY 2 Column Cast Iron Radiator - Standard Sizes

| Product Code | No.of Sections | Radiator Height (mm) | Radiator Length (mm) | Radiator Depth (mm) | Watts ΔT 50°C | BTU ΔT 50°C |
|--------------|----------------|----------------------|----------------------|---------------------|-----------------------|---------------------|
| VR640/2/04 | 4 | 640 | 269 | 90 | 184 | 628 |
| VR640/2/05 | 5 | 640 | 330 | 90 | 230 | 785 |
| VR640/2/06 | 6 | 640 | 391 | 90 | 276 | 942 |
| VR640/2/07 | 7 | 640 | 452 | 90 | 322 | 1099 |
| VR640/2/08 | 8 | 640 | 512 | 90 | 368 | 1256 |
| VR640/2/09 | 9 | 640 | 573 | 90 | 414 | 1412 |
| VR640/2/10 | 10 | 640 | 634 | 90 | 460 | 1569 |
| VR640/2/11 | 11 | 640 | 695 | 90 | 506 | 1726 |
| VR640/2/12 | 12 | 640 | 756 | 90 | 552 | 1883 |
| VR640/2/13 | 13 | 640 | 816 | 90 | 598 | 2040 |
| VR640/2/14 | 14 | 640 | 877 | 90 | 644 | 2197 |
| VR640/2/15 | 15 | 640 | 938 | 90 | 690 | 2354 |
| VR640/2/16 | 16 | 640 | 999 | 90 | 736 | 2511 |
| VR640/2/17 | 17 | 640 | 1060 | 90 | 782 | 2668 |
| VR640/2/18 | 18 | 640 | 1120 | 90 | 828 | 2825 |
| VR640/2/19 | 19 | 640 | 1181 | 90 | 874 | 2982 |
| VR640/2/20 | 20 | 640 | 1242 | 90 | 920 | 3139 |
| VR640/2/21 | 21 | 640 | 1303 | 90 | 966 | 3296 |
| VR640/2/22 | 22 | 640 | 1364 | 90 | 1012 | 3453 |
| VR640/2/23 | 23 | 640 | 1424 | 90 | 1058 | 3610 |
| VR640/2/24 | 24 | 640 | 1485 | 90 | 1104 | 3767 |
| VR640/2/25 | 25 | 640 | 1546 | 90 | 1150 | 3924 |
| VR640/2/26 | 26 | 640 | 1607 | 90 | 1196 | 4081 |
| VR640/2/27 | 27 | 640 | 1668 | 90 | 1242 | 4237 |
| VR640/2/28 | 28 | 640 | 1728 | 90 | 1288 | 4394 |
| VR640/2/29 | 29 | 640 | 1789 | 90 | 1334 | 4551 |
| VR640/2/30 | 30 | 640 | 1850 | 90 | 1380 | 4708 |
| VR640/2/31 | 31 | 640 | 1911 | 90 | 1426 | 4865 |
| VR640/2/32 | 32 | 640 | 1972 | 90 | 1472 | 5022 |
| VR640/2/33 | 33 | 640 | 2032 | 90 | 1518 | 5179 |
| VR640/2/34 | 34 | 640 | 2093 | 90 | 1564 | 5336 |
| VR640/2/35 | 35 | 640 | 2154 | 90 | 1610 | 5493 |
| VR640/2/36 | 36 | 640 | 2215 | 90 | 1656 | 5650 |
| VR640/2/37 | 37 | 640 | 2276 | 90 | 1702 | 5807 |
| VR640/2/38 | 38 | 640 | 2336 | 90 | 1748 | 5964 |
| VR640/2/39 | 39 | 640 | 2397 | 90 | 1794 | 6121 |
| VR640/2/40 | 40 | 640 | 2458 | 90 | 1840 | 6278 |

VICEROY 2 Column Cast Iron Radiator - Standard Sizes

| Product Code | No.of Sections | Radiator Height (mm) | Radiator Length (mm) | Radiator Depth (mm) | Watts | BTU |
|--------------|----------------|----------------------|----------------------|---------------------|------------------------|------------------------|
| | | | | | $\Delta T 50^{\circ}C$ | $\Delta T 50^{\circ}C$ |
| VR740/2/04 | 4 | 740 | 269 | 90 | 248 | 846 |
| VR740/2/05 | 5 | 740 | 330 | 90 | 310 | 1058 |
| VR740/2/06 | 6 | 740 | 391 | 90 | 372 | 1269 |
| VR740/2/07 | 7 | 740 | 452 | 90 | 434 | 1481 |
| VR740/2/08 | 8 | 740 | 512 | 90 | 496 | 1692 |
| VR740/2/09 | 9 | 740 | 573 | 90 | 558 | 1904 |
| VR740/2/10 | 10 | 740 | 634 | 90 | 620 | 2115 |
| VR740/2/11 | 11 | 740 | 695 | 90 | 682 | 2327 |
| VR740/2/12 | 12 | 740 | 756 | 90 | 744 | 2538 |
| VR740/2/13 | 13 | 740 | 816 | 90 | 806 | 2750 |
| VR740/2/14 | 14 | 740 | 877 | 90 | 868 | 2961 |
| VR740/2/15 | 15 | 740 | 938 | 90 | 930 | 3173 |
| VR740/2/16 | 16 | 740 | 999 | 90 | 992 | 3385 |
| VR740/2/17 | 17 | 740 | 1060 | 90 | 1054 | 3596 |
| VR740/2/18 | 18 | 740 | 1120 | 90 | 1116 | 3808 |
| VR740/2/19 | 19 | 740 | 1181 | 90 | 1178 | 4019 |
| VR740/2/20 | 20 | 740 | 1242 | 90 | 1240 | 4231 |
| VR740/2/21 | 21 | 740 | 1303 | 90 | 1302 | 4442 |
| VR740/2/22 | 22 | 740 | 1364 | 90 | 1364 | 4654 |
| VR740/2/23 | 23 | 740 | 1424 | 90 | 1426 | 4865 |
| VR740/2/24 | 24 | 740 | 1485 | 90 | 1488 | 5077 |
| VR740/2/25 | 25 | 740 | 1546 | 90 | 1550 | 5288 |
| VR740/2/26 | 26 | 740 | 1607 | 90 | 1612 | 5500 |
| VR740/2/27 | 27 | 740 | 1668 | 90 | 1674 | 5711 |
| VR740/2/28 | 28 | 740 | 1728 | 90 | 1736 | 5923 |
| VR740/2/29 | 29 | 740 | 1789 | 90 | 1798 | 6134 |
| VR740/2/30 | 30 | 740 | 1850 | 90 | 1860 | 6346 |
| VR740/2/31 | 31 | 740 | 1911 | 90 | 1922 | 6557 |
| VR740/2/32 | 32 | 740 | 1972 | 90 | 1984 | 6769 |
| VR740/2/33 | 33 | 740 | 2032 | 90 | 2046 | 6981 |
| VR740/2/34 | 34 | 740 | 2093 | 90 | 2108 | 7192 |
| VR740/2/35 | 35 | 740 | 2154 | 90 | 2170 | 7404 |
| VR740/2/36 | 36 | 740 | 2215 | 90 | 2232 | 7615 |
| VR740/2/37 | 37 | 740 | 2276 | 90 | 2294 | 7827 |
| VR740/2/38 | 38 | 740 | 2336 | 90 | 2356 | 8038 |
| VR740/2/39 | 39 | 740 | 2397 | 90 | 2418 | 8250 |
| VR740/2/40 | 40 | 740 | 2458 | 90 | 2480 | 8461 |

VICEROY 2 Column Cast Iron Radiator - Standard Sizes

| Product Code | No.of Sections | Radiator Height (mm) | Radiator Length (mm) | Radiator Depth (mm) | Watts | BTU |
|--------------|----------------|----------------------|----------------------|---------------------|------------------------|------------------------|
| | | | | | $\Delta T 50^{\circ}C$ | $\Delta T 50^{\circ}C$ |
| VR1040/2/04 | 4 | 1040 | 269 | 90 | 296 | 1010 |
| VR1040/2/05 | 5 | 1040 | 330 | 90 | 370 | 1262 |
| VR1040/2/06 | 6 | 1040 | 391 | 90 | 444 | 1515 |
| VR1040/2/07 | 7 | 1040 | 452 | 90 | 518 | 1767 |
| VR1040/2/08 | 8 | 1040 | 512 | 90 | 592 | 2020 |
| VR1040/2/09 | 9 | 1040 | 573 | 90 | 666 | 2272 |
| VR1040/2/10 | 10 | 1040 | 634 | 90 | 740 | 2525 |
| VR1040/2/11 | 11 | 1040 | 695 | 90 | 814 | 2777 |
| VR1040/2/12 | 12 | 1040 | 756 | 90 | 888 | 3030 |
| VR1040/2/13 | 13 | 1040 | 816 | 90 | 962 | 3282 |
| VR1040/2/14 | 14 | 1040 | 877 | 90 | 1036 | 3535 |
| VR1040/2/15 | 15 | 1040 | 938 | 90 | 1110 | 3787 |
| VR1040/2/16 | 16 | 1040 | 999 | 90 | 1184 | 4040 |
| VR1040/2/17 | 17 | 1040 | 1060 | 90 | 1258 | 4292 |
| VR1040/2/18 | 18 | 1040 | 1120 | 90 | 1332 | 4545 |
| VR1040/2/19 | 19 | 1040 | 1181 | 90 | 1406 | 4797 |
| VR1040/2/20 | 20 | 1040 | 1242 | 90 | 1480 | 5049 |
| VR1040/2/21 | 21 | 1040 | 1303 | 90 | 1554 | 5302 |
| VR1040/2/22 | 22 | 1040 | 1364 | 90 | 1628 | 5554 |
| VR1040/2/23 | 23 | 1040 | 1424 | 90 | 1702 | 5807 |
| VR1040/2/24 | 24 | 1040 | 1485 | 90 | 1776 | 6059 |
| VR1040/2/25 | 25 | 1040 | 1546 | 90 | 1850 | 6312 |
| VR1040/2/26 | 26 | 1040 | 1607 | 90 | 1924 | 6564 |
| VR1040/2/27 | 27 | 1040 | 1668 | 90 | 1998 | 6817 |
| VR1040/2/28 | 28 | 1040 | 1728 | 90 | 2072 | 7069 |
| VR1040/2/29 | 29 | 1040 | 1789 | 90 | 2146 | 7322 |
| VR1040/2/30 | 30 | 1040 | 1850 | 90 | 2220 | 7574 |
| VR1040/2/31 | 31 | 1040 | 1911 | 90 | 2294 | 7827 |
| VR1040/2/32 | 32 | 1040 | 1972 | 90 | 2368 | 8079 |
| VR1040/2/33 | 33 | 1040 | 2032 | 90 | 2442 | 8332 |
| VR1040/2/34 | 34 | 1040 | 2093 | 90 | 2516 | 8584 |
| VR1040/2/35 | 35 | 1040 | 2154 | 90 | 2590 | 8837 |
| VR1040/2/36 | 36 | 1040 | 2215 | 90 | 2664 | 9089 |
| VR1040/2/37 | 37 | 1040 | 2276 | 90 | 2738 | 9342 |
| VR1040/2/38 | 38 | 1040 | 2336 | 90 | 2812 | 9594 |
| VR1040/2/39 | 39 | 1040 | 2397 | 90 | 2886 | 9846 |
| VR1040/2/40 | 40 | 1040 | 2458 | 90 | 2960 | 10099 |

- All Radiators are supplied in a primer finish or you can choose from a wide range of creative colours and paint effects.
- Colour matching service is available.
- A hand polished finish is also available
- Tapping connections can be 1/2" or 3/4" BSP
- The Viceroy can also be all electric
- The Viceroy has a 10 year manufacturer's guarantee
- We can also supply a stunning range of thermostatic and manual valves