

Technical Data Sheet

COLONIAL 4 Column Cast Iron Radiator - Standard Sizes

Product Code	No.of Sections	Radiator Height (mm)	Radiator Length (mm)	Radiator Depth (mm)	Watts	BTU
					ΔT 50°C	ΔT 50°C
VL460/4/04	4	460	277	143	264	901
VL460/4/05	5	460	338	143	330	1126
VL460/4/06	6	460	398	143	396	1351
VL460/4/07	7	460	459	143	462	1576
VL460/4/08	8	460	520	143	528	1801
VL460/4/09	9	460	580	143	594	2027
VL460/4/10	10	460	641	143	660	2252
VL460/4/11	11	460	702	143	726	2477
VL460/4/12	12	460	762	143	792	2702
VL460/4/13	13	460	823	143	858	2927
VL460/4/14	14	460	884	143	924	3153
VL460/4/15	15	460	945	143	990	3378
VL460/4/16	16	460	1005	143	1056	3603
VL460/4/17	17	460	1066	143	1122	3828
VL460/4/18	18	460	1127	143	1188	4053
VL460/4/19	19	460	1187	143	1254	4278
VL460/4/20	20	460	1248	143	1320	4504
VL460/4/21	21	460	1309	143	1386	4729
VL460/4/22	22	460	1369	143	1452	4954
VL460/4/23	23	460	1430	143	1518	5179
VL460/4/24	24	460	1491	143	1584	5404
VL460/4/25	25	460	1552	143	1650	5629
VL460/4/26	26	460	1612	143	1716	5855
VL460/4/27	27	460	1673	143	1782	6080
VL460/4/28	28	460	1734	143	1848	6305
VL460/4/29	29	460	1794	143	1914	6530
VL460/4/30	30	460	1885	143	1980	6755
VL460/4/31	31	460	1916	143	2046	6981
VL460/4/32	32	460	1976	143	2110	7199
VL460/4/33	33	460	2037	143	2176	7424
VL460/4/34	34	460	2098	143	2242	7649
VL460/4/35	35	460	2159	143	2308	7874
VL460/4/36	36	460	2219	143	2374	8100
VL460/4/37	37	460	2280	143	2440	8325
VL460/4/38	38	460	2341	143	2506	8550
VL460/4/39	39	460	2401	143	2572	8775
VL460/4/40	40	460	2464	143	2638	9000

COLONIAL 4 Column Cast Iron Radiator - Standard Sizes

Product Code	No.of Sections	Radiator Height (mm)	Radiator Length (mm)	Radiator Depth (mm)	Watts ΔT 50°C	BTU ΔT 50°C
VL660/4/04	4	660	276	143	399	1361
VL660/4/05	5	660	336	143	498	1699
VL660/4/06	6	660	396	143	598	2040
VL660/4/07	7	660	457	143	698	2381
VL660/4/08	8	660	517	143	797	2719
VL660/4/09	9	660	578	143	897	3060
VL660/4/10	10	660	638	143	996	3398
VL660/4/11	11	660	698	143	1096	3739
VL660/4/12	12	660	759	143	1196	4081
VL660/4/13	13	660	819	143	1295	4418
VL660/4/14	14	660	880	143	1395	4759
VL660/4/15	15	660	940	143	1495	5101
VL660/4/16	16	660	1000	143	1594	5438
VL660/4/17	17	660	1061	143	1694	5780
VL660/4/18	18	660	1121	143	1794	6121
VL660/4/19	19	660	1182	143	1893	6459
VL660/4/20	20	660	1242	143	1993	6800
VL660/4/21	21	660	1302	143	2093	7141
VL660/4/22	22	660	1363	143	2192	7479
VL660/4/23	23	660	1423	143	2292	7820
VL660/4/24	24	660	1484	143	2392	8161
VL660/4/25	25	660	1544	143	2491	8499
VL660/4/26	26	660	1604	143	2591	8840
VL660/4/27	27	660	1665	143	2691	9181
VL660/4/28	28	660	1725	143	2790	9519
VL660/4/29	29	660	1786	143	2890	9860
VL660/4/30	30	660	1846	143	2989	10198
VL660/4/31	31	660	1906	143	3089	10539
VL660/4/32	32	660	1967	143	3189	10880
VL660/4/33	33	660	2027	143	3288	11218
VL660/4/34	34	660	2088	143	3388	11559
VL660/4/35	35	660	2148	143	3488	11900
VL660/4/36	36	660	2208	143	3587	12238
VL660/4/37	37	660	2269	143	3687	12579
VL660/4/38	38	660	2329	143	3787	12921
VL660/4/39	39	660	2390	143	3886	13258
VL660/4/40	40	660	2450	143	3986	13599

COLONIAL 4 Column Cast Iron Radiator - Standard Sizes

Product Code	No.of Sections	Radiator Height (mm)	Radiator Length (mm)	Radiator Depth (mm)	Watts	BTU
					ΔT 50°C	ΔT 50°C
VL760/4/04	4	760	278	143	489	1668
VL760/4/05	5	760	340	143	623	2126
VL760/4/06	6	760	401	143	747	2549
VL760/4/07	7	760	462	143	872	2975
VL760/4/08	8	760	523	143	996	3398
VL760/4/09	9	760	584	143	1121	3825
VL760/4/10	10	760	645	143	1246	4251
VL760/4/11	11	760	706	143	1370	4674
VL760/4/12	12	760	767	143	1495	5101
VL760/4/13	13	760	828	143	1619	5524
VL760/4/14	14	760	889	143	1744	5950
VL760/4/15	15	760	951	143	1868	6373
VL760/4/16	16	760	1012	143	1993	6800
VL760/4/17	17	760	1073	143	2118	7226
VL760/4/18	18	760	1134	143	2242	7649
VL760/4/19	19	760	1195	143	2367	8076
VL760/4/20	20	760	1256	143	2491	8499
VL760/4/21	21	760	1317	143	2616	8925
VL760/4/22	22	760	1378	143	2740	9348
VL760/4/23	23	760	1439	143	2865	9775
VL760/4/24	24	760	1500	143	2989	10198
VL760/4/25	25	760	1562	143	3114	10624
VL760/4/26	26	760	1623	143	3239	11051
VL760/4/27	27	760	1684	143	3363	11474
VL760/4/28	28	760	1745	143	3488	11900
VL760/4/29	29	760	1806	143	3612	12323
VL760/4/30	30	760	1867	143	3737	12750
VL760/4/31	31	760	1928	143	3861	13173
VL760/4/32	32	760	1989	143	3986	13599
VL760/4/33	33	760	2050	143	4110	14023
VL760/4/34	34	760	2111	143	4235	14449
VL760/4/35	35	760	2173	143	4360	14875
VL760/4/36	36	760	2234	143	4484	15299
VL760/4/37	37	760	2295	143	4609	15725
VL760/4/38	38	760	236	143	4733	16148
VL760/4/39	39	760	2417	143	4858	16575
VL760/4/40	40	760	2478	143	4982	16998

COLONIAL 4 Column Cast Iron Radiator - Standard Sizes

Product Code	No.of Sections	Radiator Height (mm)	Radiator Length (mm)	Radiator Depth (mm)	Watts	BTU
					$\Delta T 50^{\circ}C$	$\Delta T 50^{\circ}C$
VL813/4/04	4	813	274	143	528	1801
VL813/4/05	5	813	335	143	659	2248
VL813/4/06	6	813	395	143	791	2699
VL813/4/07	7	813	455	143	923	3149
VL813/4/08	8	813	515	143	1055	3599
VL813/4/09	9	813	575	143	1187	4050
VL813/4/10	10	813	635	143	1319	4500
VL813/4/11	11	813	695	143	1451	4951
VL813/4/12	12	813	755	143	1583	5401
VL813/4/13	13	813	815	143	1715	5851
VL813/4/14	14	813	875	143	1846	6298
VL813/4/15	15	813	936	143	1978	6749
VL813/4/16	16	813	996	143	2110	7199
VL813/4/17	17	813	1056	143	2242	7649
VL813/4/18	18	813	1116	143	2374	8100
VL813/4/19	19	813	1176	143	2506	8550
VL813/4/20	20	813	1236	143	2638	9000
VL813/4/21	21	813	1296	143	2770	9451
VL813/4/22	22	813	1356	143	2902	9901
VL813/4/23	23	813	1416	143	3033	10348
VL813/4/24	24	813	1476	143	3165	10798
VL813/4/25	25	813	1537	143	3297	11249
VL813/4/26	26	813	1597	143	3429	11699
VL813/4/27	27	813	1657	143	3561	12149
VL813/4/28	28	813	1717	143	3693	12600
VL813/4/29	29	813	1777	143	3825	13050
VL813/4/30	30	813	1837	143	3957	13501
VL813/4/31	31	813	1897	143	4089	13951
VL813/4/32	32	813	1957	143	4220	14398
VL813/4/33	33	813	2017	143	4352	14848
VL813/4/34	34	813	2077	143	4484	15299
VL813/4/35	35	813	2138	143	4616	15749
VL813/4/36	36	813	2198	143	4748	16199
VL813/4/37	37	813	2258	143	4880	16650
VL813/4/38	38	813	2318	143	5012	17100
VL813/4/39	39	813	2378	143	5144	17550
VL813/4/40	40	813	2438	143	5275	17997

- All Radiators are supplied in a primer finish or you can choose from a wide range of creative colours and paint effects.
- Colour matching service is available.
- A hand polished finish is also available
- Tapping connections can be 1/2" or 3/4" BSP
- The Colonial 4 can also be all electric
- The Colonial 4 has a 10 year manufacturer's guarantee
- We can also supply a stunning range of thermostatic and manual valves