

Technical Data Sheet

PRINCE Column Cast Iron Radiator - Standard Sizes

Product Code	No.of Sections	Radiator Height (mm)	Radiator Length (mm)	Radiator Depth (mm)	Watts	BTU
					$\Delta T 50^{\circ}C$	$\Delta T 50^{\circ}C$
PR560/2/04	4	560	350	188	324	1105
PR560/2/05	5	560	429	188	405	1382
PR560/2/06	6	560	508	188	486	1658
PR560/2/07	7	560	587	188	567	1934
PR560/2/08	8	560	666	188	648	2211
PR560/2/09	9	560	745	188	729	2487
PR560/2/10	10	560	824	188	810	2764
PR560/2/11	11	560	903	188	891	3040
PR560/2/12	12	560	982	188	972	3316
PR560/2/13	13	560	1061	188	1053	3593
PR560/2/14	14	560	1140	188	1134	3869
PR560/2/15	15	560	1219	188	1215	4145
PR560/2/16	16	560	1298	188	1296	4422
PR560/2/17	17	560	1377	188	1377	4698
PR560/2/18	18	560	1456	188	1458	4974
PR560/2/19	19	560	1535	188	1539	5251
PR560/2/20	20	560	1614	188	1620	5527
PR560/2/21	21	560	1693	188	1701	5803
PR560/2/22	22	560	1772	188	1782	6080
PR560/2/23	23	560	1851	188	1863	6356
PR560/2/24	24	560	1930	188	1944	6633
PR560/2/25	25	560	2009	188	2025	6909
PR560/2/26	26	560	2088	188	2106	7185
PR560/2/27	27	560	2167	188	2187	7462
PR560/2/28	28	560	2246	188	2268	7738
PR560/2/29	29	560	2325	188	2349	8014
PR560/2/30	30	560	2404	188	2430	8291
PR560/2/31	31	560	2483	188	2511	8567
PR560/2/32	32	560	2562	188	2592	8843
PR560/2/33	33	560	2641	188	2673	9120
PR560/2/34	34	560	2720	188	2754	9396
PR560/2/35	35	560	2799	188	2835	9672
PR560/2/36	36	560	2878	188	2916	9949
PR560/2/37	37	560	2957	188	2997	10225
PR560/2/38	38	560	3036	188	3078	10502
PR560/2/39	39	560	3115	188	3159	10778
PR560/2/40	40	560	3194	188	3240	11054

PRINCE Column Cast Iron Radiator - Standard Sizes

Product Code	No.of Sections	Radiator Height (mm)	Radiator Length (mm)	Radiator Depth (mm)	Watts ΔT 50°C	BTU ΔT 50°C
PR798/2/04	4	798	346	188	468	1597
PR798/2/05	5	798	424	188	585	1996
PR798/2/06	6	798	502	188	702	2395
PR798/2/07	7	798	580	188	819	2794
PR798/2/08	8	798	658	188	936	3193
PR798/2/09	9	798	736	188	1053	3593
PR798/2/10	10	798	814	188	1170	3992
PR798/2/11	11	798	892	188	1287	4391
PR798/2/12	12	798	970	188	1404	4790
PR798/2/13	13	798	1048	188	1521	5189
PR798/2/14	14	798	1126	188	1638	5589
PR798/2/15	15	798	1204	188	1755	5988
PR798/2/16	16	798	1282	188	1872	6387
PR798/2/17	17	798	1360	188	1989	6786
PR798/2/18	18	798	1438	188	2106	7185
PR798/2/19	19	798	1516	188	2223	7584
PR798/2/20	20	798	1594	188	2340	7984
PR798/2/21	21	798	1672	188	2457	8383
PR798/2/22	22	798	1750	188	2574	8782
PR798/2/23	23	798	1828	188	2691	9181
PR798/2/24	24	798	1906	188	2808	9580
PR798/2/25	25	798	1984	188	2925	9980
PR798/2/26	26	798	2062	188	3042	10379
PR798/2/27	27	798	2140	188	3159	10778
PR798/2/28	28	798	2218	188	3276	11177
PR798/2/29	29	798	2296	188	3393	11576
PR798/2/30	30	798	2374	188	3510	11975
PR798/2/31	31	798	2452	188	3627	12375
PR798/2/32	32	798	2530	188	3744	12774
PR798/2/33	33	798	2608	188	3861	13173
PR798/2/34	34	798	2686	188	3978	13572
PR798/2/35	35	798	2764	188	4095	13971
PR798/2/36	36	798	2842	188	4212	14371
PR798/2/37	37	798	2920	188	4329	14770
PR798/2/38	38	798	2998	188	4446	15169
PR798/2/39	39	798	3076	188	4563	15568
PR798/2/40	40	798	3154	188	4680	15967

- All Radiators are supplied in a primer finish or you can choose from a wide range of creative colours and paint effects.
- Colour matching service is available.
- A hand polished finish is also available
- The Prince has a 10 year manufacturers guarantee
- We can also supply a stunning range of thermostatic and manual valves