

Technical Data Sheet

PEERLESS 2 Column Cast Iron Radiator - Standard Sizes

Product Code	No.of Sections	Radiator Height (mm)	Radiator Length (mm)	Radiator Depth (mm)	Watts	BTU
					$\Delta T 50^{\circ}C$	$\Delta T 50^{\circ}C$
PE450/2/04	4	450	346	130	200	682
PE450/2/05	5	450	424	130	250	853
PE450/2/06	6	450	502	130	300	1024
PE450/2/07	7	450	580	130	350	1194
PE450/2/08	8	450	658	130	400	1365
PE450/2/09	9	450	736	130	450	1535
PE450/2/10	10	450	814	130	500	1706
PE450/2/11	11	450	892	130	550	1876
PE450/2/12	12	450	970	130	600	2047
PE450/2/13	13	450	1048	130	650	2218
PE450/2/14	14	450	1126	130	700	2388
PE450/2/15	15	450	1204	130	750	2559
PE450/2/16	16	450	1282	130	800	2729
PE450/2/17	17	450	1360	130	850	2900
PE450/2/18	18	450	1438	130	900	3071
PE450/2/19	19	450	1516	130	950	3241
PE450/2/20	20	450	1594	130	1000	3412
PE450/2/21	21	450	1672	130	1050	3582
PE450/2/22	22	450	1750	130	1100	3753
PE450/2/23	23	450	1828	130	1150	3924
PE450/2/24	24	450	1906	130	1200	4094
PE450/2/25	25	450	1984	130	1250	4265
PE450/2/26	26	450	2062	130	1300	4435
PE450/2/27	27	450	2140	130	1350	4606
PE450/2/28	28	450	2218	130	1400	4777
PE450/2/29	29	450	2296	130	1450	4947
PE450/2/30	30	450	2374	130	1500	5118
PE450/2/31	31	450	2452	130	1550	5288
PE450/2/32	32	450	2530	130	1600	5459
PE450/2/33	33	450	2608	130	1650	5629
PE450/2/34	34	450	2686	130	1700	5800
PE450/2/35	35	450	2764	130	1750	5971
PE450/2/36	36	450	2842	130	1800	6141
PE450/2/37	37	450	2920	130	1850	6312
PE450/2/38	38	450	2998	130	1900	6482
PE450/2/39	39	450	3076	130	1950	6653
PE450/2/40	40	450	3154	130	2000	6824

PEERLESS 2 Column Cast Iron Radiator - Standard Sizes

Product Code	No.of Sections	Radiator Height (mm)	Radiator Length (mm)	Radiator Depth (mm)	Watts	BTU
					$\Delta T 50^{\circ}C$	$\Delta T 50^{\circ}C$
PE600/2/04	4	600	346	130	272	928
PE600/2/05	5	600	424	130	340	1160
PE600/2/06	6	600	502	130	408	1392
PE600/2/07	7	600	580	130	476	1624
PE600/2/08	8	600	658	130	544	1856
PE600/2/09	9	600	736	130	612	2088
PE600/2/10	10	600	814	130	680	2320
PE600/2/11	11	600	892	130	748	2552
PE600/2/12	12	600	970	130	816	2784
PE600/2/13	13	600	1048	130	884	3016
PE600/2/14	14	600	1126	130	952	3248
PE600/2/15	15	600	1204	130	1020	3480
PE600/2/16	16	600	1282	130	1088	3712
PE600/2/17	17	600	1360	130	1156	3944
PE600/2/18	18	600	1438	130	1224	4176
PE600/2/19	19	600	1516	130	1292	4408
PE600/2/20	20	600	1594	130	1360	4640
PE600/2/21	21	600	1672	130	1428	4872
PE600/2/22	22	600	1750	130	1496	5104
PE600/2/23	23	600	1828	130	1564	5336
PE600/2/24	24	600	1906	130	1632	5568
PE600/2/25	25	600	1984	130	1700	5800
PE600/2/26	26	600	2062	130	1768	6032
PE600/2/27	27	600	2140	130	1836	6264
PE600/2/28	28	600	2218	130	1904	6496
PE600/2/29	29	600	2296	130	1972	6728
PE600/2/30	30	600	2374	130	2040	6960
PE600/2/31	31	600	2452	130	2108	7192
PE600/2/32	32	600	2530	130	2176	7424
PE600/2/33	33	600	2608	130	2244	7656
PE600/2/34	34	600	2686	130	2312	7888
PE600/2/35	35	600	2764	130	2380	8120
PE600/2/36	36	600	2842	130	2448	8352
PE600/2/37	37	600	2920	130	2516	8584
PE600/2/38	38	600	2998	130	2584	8816
PE600/2/39	39	600	3076	130	2652	9048
PE600/2/40	40	600	3154	130	2720	9280

PEERLESS 2 Column Cast Iron Radiator - Standard Sizes

Product Code	No.of Sections	Radiator Height (mm)	Radiator Length (mm)	Radiator Depth (mm)	Watts	BTU
					$\Delta T 50^{\circ}C$	$\Delta T 50^{\circ}C$
PE795/2/04	4	795	346	130	348	1187
PE795/2/05	5	795	424	130	435	1484
PE795/2/06	6	795	502	130	522	1781
PE795/2/07	7	795	580	130	609	2078
PE795/2/08	8	795	658	130	696	2375
PE795/2/09	9	795	736	130	783	2671
PE795/2/10	10	795	814	130	870	2968
PE795/2/11	11	795	892	130	957	3265
PE795/2/12	12	795	970	130	1044	3562
PE795/2/13	13	795	1048	130	1131	3859
PE795/2/14	14	795	1126	130	1218	4156
PE795/2/15	15	795	1204	130	1305	4452
PE795/2/16	16	795	1282	130	1392	4749
PE795/2/17	17	795	1360	130	1479	5046
PE795/2/18	18	795	1438	130	1566	5343
PE795/2/19	19	795	1516	130	1653	5640
PE795/2/20	20	795	1594	130	1740	5937
PE795/2/21	21	795	1672	130	1827	6233
PE795/2/22	22	795	1750	130	1914	6530
PE795/2/23	23	795	1828	130	2001	6827
PE795/2/24	24	795	1906	130	2088	7124
PE795/2/25	25	795	1984	130	2175	7421
PE795/2/26	26	795	2062	130	2262	7718
PE795/2/27	27	795	2140	130	2349	8014
PE795/2/28	28	795	2218	130	2436	8311
PE795/2/29	29	795	2296	130	2523	8608
PE795/2/30	30	795	2374	130	2610	8905
PE795/2/31	31	795	2452	130	2697	9202
PE795/2/32	32	795	2530	130	2784	9498
PE795/2/33	33	795	2608	130	2871	9795
PE795/2/34	34	795	2686	130	2958	10092
PE795/2/35	35	795	2764	130	3045	10389
PE795/2/36	36	795	2842	130	3132	10686
PE795/2/37	37	795	2920	130	3219	10983
PE795/2/38	38	795	2998	130	3306	11279
PE795/2/39	39	795	3076	130	3393	11576
PE795/2/40	40	795	3154	130	3480	11873

- All Radiators are supplied in a primer finish or you can choose from a wide range of creative colours and paint effects.
- Colour matching service is available.
- A hand polished finish is also available
- Tapping connections can be 1/2" or 3/4" BSP
- The Peerless has a 10 year manufacturer's guarantee
- We can also supply a stunning range of thermostatic and manual valves